

### garaga.com



## TRADITIONAL

### MODEL PATTERNS AND LAYOUTS -

PRESTIGE (40 1/2" x 15")





#### Novatech<sup>\*</sup>

Shak

Shaker XL

9' x 7'

Classic CC

Classic MIX

Classic XI

Match your Prestige garage door with the Orleans, London or Sydney entry doors from Novatech's Prestige Collection.

Available for R-16 insulation

### SHAKER (21" x 15" and 40" x 15")



9' x 7'	16' x 7'
Shaker CC	C C

Shaker XL

16' x 7'

Available for R-16 insulation

### CLASSIC (21" x 13" and 40" x 13")



Available for R-16, R-12, R-10, R-6.6 and non-insulated MIX layout is not available for R-6.6 insulation and non-insulated

### COLORS -

STANDARD: Ice White, Desert Sand, Claystone, Dark Sand and Moka Brown Available for all insulations, except Dark Sand not available for R-6.6 and non-insulated PREMIUM: Charcoal, Evergreen, Black, American Walnut and Chocolate Walnut Available for R-16 insulation, except Evergreen not available for Prestige and Shaker patterns



with Orleans entry door with Cachet stained glass from Novatech's Prestige Collection









Classic XL

### MODEL PATTERNS AND LAYOUTS -

VOG<sup>®</sup> (40" x 1 ¼")



Available for R-16 insulation

MODERNO (3/16" continuous lines)





#### Novatech

Match your Vog garage door with a Vog entry door from Novatech's Design Collection.



Available for R-16 and R-12 insulation. Moderno Multi layout only for R-16 insulation.





Available for R-16 and R-12 insulation





Available for R-16, R-12 and R-10 insulation

### COLORS -

STANDARD: Ice White, Desert Sand, Claystone, Dark Sand and Moka Brown Available for all insulations, except Dark Sand not available for R-6.6 and non-insulated PREMIUM: Charcoal, Evergreen, Black and Chocolate Walnut Available for R-16 insulation, except Evergreen not available for Vog pattern

### WINDOW LAYOUTS

Visit our site at garaga.com/windowlayouts to see all available possibilities.











Standard+ Flush, 10' x 7', Charcoal, Masterline windows Coordinated with entry door from Novatech with Masterline glass

## CARRIAGE HOUSE

### MODEL PATTERNS AND LAYOUTS -

NORTH HATLEY (19 3/4" x 15" grouped by 2 and 40 1/2" x 15") 9' x 7'



North Hatley SP	Image: Sector state

16' x 7'

North Hatley LP North Hatley LP

Available for R-16, R-12, R-10, R-6.6 and non-insulated. North Hatley LP layout is only available for R-16 and R-12.

SHAKER (8 1/2" x 14" grouped by 4)





9' x 7'

(11111111 

Shaker



Available for R-16 insulation

SHAKER-NH (40 1/2" x 15")



-NHIP	Shaker-NH LP

16' x 7'

Available for R-10, R-6.6 and non-insulated

### COLORS -

STANDARD: Ice White, Desert Sand, Claystone, Dark Sand and Moka Brown Available for all insulations, except Dark Sand not available for R-6.6 and non-insulated. PREMIUM: Charcoal, Evergreen, Black, American Walnut and Chocolate Walnut Available for R-16 insulation, except Evergreen not available for Shaker and Shaker-NH.









## Townships Collection®



Eastman E-11

### PRINCETON

















Eastman E-12

Cambridge CS

Cambridge CM

Cambridge CL

The configurations shown are equivalent to 9 'x 7' doors.

### COLORS -

Princeton P-22

STANDARD: Ice White<sup>+</sup>, Desert Sand<sup>+</sup>, Claystone<sup>+</sup>, Dark Sand and Moka Brown PREMIUM: Charcoal, Evergreen, Black and Chocolate Walnut<sup>+</sup>

\*Available overlay colors

## SPECIALTY DOORS<sup>1</sup>

CALIFORNIA FULL VISION DOOR THICKNESS: 1 3/4" -COLORS: White, Anodized and Black

TOP TECH TEXTURED STEEL THICKNESS: 1 3/4" POLYURETHANE R-16 -

MODEL PATTERNS AND LAYOUTS: 2 Grooves, 4 Grooves and Flush COLOR: Tex White

H-TECH ALUMINUM THICKNESS: 1 3/4" POLYURETHANE R-16 -

MODEL PATTERNS AND LAYOUTS: Classic CC, 2 Grooves, 4 Grooves and Flush COLORS: White, Nordic, Tundra, Universal Brown and Heron Blue

<sup>1</sup> For more details on Specialty doors, consult garaga.com/residential-models.







### STAINED GLASS





Zinc caming

Patina caming

### PRINTING PROCESS





Privacy Level: X/5

Cachet

4/5

4/5

4/5

Chinchilla

Soft

Satin

Empire

4/5

4/5

3/5

### TYPES OF GLASS



Azur



Pinhead



Screen

Fluid



Ar

Clear 40" x 13" thermopane glass is also available with the Low-E Argon energy option.

Clear\*

### DECORATIVE INSERTS



exterior side of the window

(easy to remove).

0/5



For all the available Williamsburg Inserts, visit garaga.com/inserts.

<sup>†</sup>Color of frame and inserts: White, Claystone, Desert Sand, Dark Sand, Brown, Black and Green. Charcoal color available for all frames and only for Stockton, Prairie (40" x 13") and Richmond (40" x 13") decorative inserts.

Walnut color available only for frames 40" x 13" frames.

#### ORION



This window has aluminum grids inserted between the two panes of glass.

### Windows can only be installed in the top section.



Without grids 4 vertical lites \*\*Not available for Cambridge CM and CS layouts.

The square widths vary depending on the design and size of the chosen door.

### COORDINATES WITH Novatech

Garaga is proud to collaborate with entry door manufacturer, Novatech, so we can offer you products that go together perfectly. Visit garaga.com/novatech.

### AVAILABILITIES BY MODEL -

	Standard+ (R-16)	Acadia 138 <sup>2</sup> (R-12)	Triforce (R-10) Dualforce (R-6.6) Uniforce (Non-insulated)	Townships Collection (R-16)	California	Top Tech (R-16) H-Tech (R-16)	
Azur <sup>1</sup> and Masterline <sup>1</sup> Glass	٠						
Soft <sup>1</sup> , Fluid <sup>1</sup> , Chinchilla <sup>1</sup> , Screen <sup>1</sup> and Pinhead <sup>1</sup> Glass	۰			۰			
Clear Glass	۰	•	•	٠	۰		
Glue Chip Glass	۰			٠		0	
Satin Glass	۰			٠	۰	0	
Stained Glass <sup>1</sup>	۰						
Printing Process	٠					0	
Orion <sup>2</sup>	٠	•				0	
Decorative Inserts <sup>3</sup>	٠	•	٠	٠		0	
Panoramic <sup>4</sup>				٠			
Tinted Glass, Fluted Polycarbonate					۰		
SIZE	MODEL PATTERNS AND LAYOUTS						
21" x 13"	Classic CC, Shaker CC						
40" x 13"	Classic XL, Prestige XL, North Hatley SP, North Hatley LP, Shaker XS, Shaker-NH LP, Shaker XL						
21" x 13" and/or 40" x 13"	Classic MIX, Vog, Moderno Multi, Moderno 2 beads, Grooved, Flush						

<sup>1</sup>Available only for 40" x 13" sizes.

<sup>2</sup> For Acadia 138: 4 vertical lites Orion is not available; Orion frame is available only with White, Brown, Claystone, Desert Sand and Dark Sand; Orion grids are only available in White and Claystone. <sup>3</sup>Williamsburg insert is not available for 11' to 15' doors.

"Without grids" available with Clear, Satin or Pinhead. 4 vertical lites and 8 lites with Clear or Satin only.

For all the available styles of windows and possible color combinations, visit garaga.com/designcentre.



Color of frame: White, Claystone, Desert Sand, Dark Sand, Brown, Black, Charcoal, Green and Walnut

Color of grids: White, Claystone, Desert Sand, Dark Sand, Brown and Black. Pewter cames available only with Orion 4 and 8 lites. Walnut available only with Orion 4 vertical lites and

8 lites. PANORAMIC (TOWNSHIPS COLLECTION ONLY)





# 3 STEPS TO CHANGE YOUR GARAGE DOOR

### CHOOSE YOUR STYLE

Whatever style you desire, you will find it with Garaga. Consider the different possibilities of model patterns, layouts and windows on the other side of this brochure and make a choice from among the models of our 3 different looks.



Standard+ Shaker CC, 9' x 8', Ice White



Standard+ Moderno Multi, 16' x 7', Black, Azur windows / Coordinated with entry door from Novatech with Azur glass



Eastman E-21, 9' x 8', Moka Brown doors and Ice White overlays, 8 lite Panoramic windows

## CHOOSE YOUR COLOR

Whether you opt for a classic color or one more modern, choose one that blends well with the other exterior features of your home.



Consult the Summary for availability of colors by model.

PREMIUM COLORS: low additional fees apply. Visit garaga.com/premiumcolors to learn more about Garaga's Premium colors.

<sup>+</sup>Colors of overlays available for Township Collection garage doors.

### **GENTEK** GENTEK'S EQUIVALENT ALUMINUM CAPPING

Ice White similar to Ice White #429 Desert Sand similar to Almond #532 Claystone similar to Pebble #559 Dark Sand similar to Sable #547 Moka Brown similar to Commercial Brown #562 Chocolate Walnut: N/A

Charcoal similar to Slate #523 Evergreen similar to Bonneville Green #598 Black similar to Black #525 American Walnut: N/A

### CHOOSE YOUR CONSTRUCTION

From among our varied garage door compositions, you are sure to find the insulation level (R value) and air infiltration performance (transfer of heat or cold between inside and outside) that you require.

### **R-16 AND R-12 THERMAL INSULATION**

MODELS: TOWNSHIPS COLLECTION, STANDARD+, ACADIA 138, H-TECH AND TOP TECH

### 1 INTERLOK<sup>™</sup> JOINT

Located between sections, this joint blocks air infiltration due to its triple-contact weatherseal.

Makes sections very strong as it is mechanically interlocked and not bonded.

### 2 WOOD END BLOCKS

One of the most effective thermal breaks, they eliminate any transfer of cold or heat between materials.

### 3 REINFORCED METAL PLATES

With 14-gauge thickness, they are used to solidly attach hinges, handles and operator bracket.

### 4 HIGH-PERFORMANCE WEATHERSTRIPPING

Our weatherstripping ensures increased weathertightness and stays flexible through the coldest temperatures.

### 5 POLYURETHANE

- 🚯 High-pressure injected foam provides R-16 thermal resistance for 1 ¾" doors or R-12 for 1 %" doors.
- Because it adheres to the section walls, it provides a high level of rigidity to the door.

#### 6 CONTINUOUS WOODGRAIN

Up close or at a distance, our embossed woodgrain finish is flawless and very refined.







### **R-6.6 INSULATION OR NON-INSULATED**



MODELS: DUALFORCE AND UNIFORCE

- **1 24-gauge galvanized steel** with a coat of baked-on paint for a high durability door.
- 2 Polystyrene insulation available as an option for an insulation value of R-6.6

## SUMMARY

	I	I	I	I	I	1		
MODELS	Townships Collection	Standard+	Acadia 138	Triforce	Dualforce	Uniforce		
TECHNICAL FEATURES								
Insulation	R-16	R-16	R-12	R-10	R-6.6	Non- insulated		
Thickness	2 ³/8"	1 ³/4"	1 ³/8"	2"	2"	2"		
Warranty	Lifetime (limited)	Lifetime (limited)	Lifetime (limited)	Lifetime (limited)	15 years (limited)	15 years (limited)		
		COLC	DRS					
Standard	•	•	•	•	All except Dark Sand	All except Dark Sand		
Premium	All except Am. Walnut	See notes*						
	MODEL I	PATTERNS	S AND LA	YOUTS				
Princeton, Eastman and Cambridge	٠							
Prestige XL		•						
Shaker CC		•						
Shaker XL		٠						
Shaker XS		۰						
Shaker-NH LP				۰	٠	۰		
Classic CC		٠	۰	۰	٠	۰		
Classic MIX		٠	۰	۰				
Classic XL		•	•	•	•	۰		
Vog		•						
Moderno 2 beads		•	•					
Moderno Multi		٠						
Grooved		•	•					
Flush		٠	•	٠				
North Hatley SP		٠	۰	۰	٠	٠		
North Hatley LP		٠	٠					

\*Evergreen color is not available for Vog, Prestige and Shaker patterns. American Walnut color is not available for Vog, Flush, Moderno and Grooved patterns.

See all the possibilities by creating your garage door before buying it at garaga.com/designcentre

## WHY HAVE MORE THAN 1.7 MILLION GARAGA DOORS BEEN INSTALLED SINCE 1983?



### SUPERIOR PERFORMANCE

Get a product that exceeds your expectations. Our garage doors, inspired by Canada's severe weather, are **energy efficient** as they are first and foremost weathertight. They are **strong** and constructed with long-lasting components, rigorously selected to give a flawless finish, both up close and at a distance.



### ONE OF THE LARGEST SELECTIONS IN THE INDUSTRY

With **thousands of possible combinations**, you are sure to find the garage door you are looking for. Select style, color and much more by visiting **garaga.com/designcentre**. There you can create and view online the perfect door to enhance your house and be assured you're making the best decision.



### A PICTURE IS WORTH A THOUSAND WORDS

So that you can make an informed decision, all the options you want can be **quickly** calculated then presented to you in a **clear**, **illustrated quotation**. Once your garage door has been chosen, your quotation is automatically transmitted to our factory to be **precisely custom-crafted**.



### Quiet and reliable garage door openers

### ELITE SERIES®





- Ultra quiet
- Belt or chain drive
- <sup>3</sup>/<sub>4</sub> HP, AC or DC power

Ultra quiet Jackshaft

• DC power

### **PREMIUM** SERIES<sup>®</sup>



- Quiet
- Belt or chain drive
- 1/2 HP, AC or DC power

### USEFUL ACCESSORIES





- Open or close your garage door without using a remote control and program it with a 4-digit code
- To ensure greater security for your home, can be activated
- with your smartphone

Consult garaga.com to view all available accessories



Allows you to open or close your garage door from anywhere by using a smart device such as a watch, telephone, tablet or laptop.



## TAKE MEASUREMENTS



 Measure existing door opening's width A and height B in feet and inches. This determines the size of door needed. Never base your measurements on the size of the existing door but on the door's opening instead.

### 2) Measure for sideroom, left side C and right side D.

- 6 inches is required on each side for installation of vertical track.
- Make sure no entry door will interfere with the horizontal track of the door.
- Measure area labeled "headroom" <a>[I]</a>. Distance between the top of the door opening and the ceiling (or floor joist);
  - 8 1/2" is required for standard extension spring.
  - 12" is required for standard torsion spring.
  - Add 2" more for electric opener.
  - If you have restricted headroom, special hardware is available.

NOTE: If door height extends above the opening, the headroom measurement should be taken from the top of the top section to the ceiling.

- 4) Measure area labeled "backroom" 🖪 Distance is measured from the garage door opening toward the back wall of the garage.
  - Door height plus 28" is required.
  - Additional backroom (door height + 48") may be required for installation of an automatic garage door opener.
  - Make sure no lighting or other material will interfere with the door sections when moving.

### Getting the opening ready

- Make sure the size of the opening matches the size of the door. For example: a door of 9' x 7' needs an opening of 9' wide by 7' high.
- 2) The position of the header and back jambs (2" x 6") are very important. The header must be flush with back jambs (on the same plane). The back jambs must be perpendicular, plumb and square

For more details, visit garaga.com/measures

## YOUR GARAGA DOOR IN 3 STEPS



### CHOOSE THE STYLE

So that your garage door is exactly what you want, choose from our traditional, contemporary and carriage house styles. Next, select your windows from among our many available models.



### CHOOSE THE COLOR

To coordinate your garage door with your entry door, or to add an interesting element to the front of your home, choose one that pleases you from our stylish colors.



### CHOOSE THE INSULATION

We offer 5 choices of thermal insulation. Select the one best suited to how you will use your garage.

## 📄 GARAGA°

8500 25<sup>th</sup> Avenue Saint-Georges QC G6A 1K5 CANADA

V D

4

418 227-9458 info@garaga.com garaga.com

S+ 0



YOUR GARAGA DISTRIBUTOR