# MODERN STEEL<sup>™</sup> collection



America's Favorite Garage Doors®



# MODERN STEEL<sup>™</sup> collection

Modern Steel<sup>™</sup> Collection garage doors complement contemporary and mid-century modern home styles. Doors are available with or without windows and with or without grooves in the panels. All are available in multiple paint and Ultra-Grain<sup>®</sup> finishes to create the perfect look for your home.





# AVAILABLE WITH

# insulation technology



QUIETER Dense insulation reduces noise by up to 16 decibels



#### MODEL AVAILABILITY



Dur dresign examples shown if 9' wide x 8' high Analized sensing examples shown at 9' wide x 8' high Analized sensing examples of window options?   Texture   2"   1-3/8"   Bonded Polystyrene   1-3/8"   Polystyrene   Bonded Polystyrene   1-5/16"   Non-Insul Contemporary     MODERN FLUSH   Door constructed using 24''. 21'' and 18'' section heights   0   6.5 R-value   6.3 R-value   6.5 R-value	DOOR DE	SIGN	S	<b>^</b>	3-L	AYER		2-LAYER	1-LAYER	
Tig. 4 F-Value   Tig. 4 F-Value   Solid   Contemporary   Co	Door design examples shown at 9' wide $\times$ 8' high Available window options listed below model number (See back cover for examples of window options)		high mber	Polyurethane	Polyurethane	Bonded Polystyrene	Bonded Polystyrene	Polystyrene	Non-Insulated	
Solid   Window   Solid   Window   Solid   Contemporary Windows   Contemporary and Decorative Windows   Contemporary Windows   Contemporary	MODEDNI		i Extrone	18.4 R-value						
Solid   Window Sections   Woodgrain   Ordemporary Windows   Contemporary Windows   Decorative Windows   <										
Solid   Windows   Windows   Windows   Windows     MODERN FLUSH   Door constructed using 21* and 18* section heights     Solid   Windows   Solid   Quarter of the period   Qua				9202	9132	4302	4132			
9201   9131   4301   4051   T42E (24 Gauge Steel)   T42E (24 Gauge Steel)   T42E (24 Gauge Steel)   T40E (24 Gauge Steel)     Solid   Window Sections   Woodgrain   Contemporary and Decorative Windows   Contemporary and Decorative Windows   Contemporary and Decorative Windows   Decorati	Solid Windo	w Sections	Woodgrain	Contemporary Windows	Contemporary Windows		Contemporary Windows			
Solid   Woodgrain   Solid   Contemporary and Decorative Windows   Contemporary and Decorative Windows   Contemporary and Decorative Windows   Contemporary and Decorative Windows   Decorative Windows <thdecorative Windows   Decorative</thdecorative 								eights		
Solid   Window   Solid   Windows   Contemporary and Decorative Windows   Contemporary and Decorative Windows   Contemporary and Decorative Windows   Contemporary and Decorative Windows   Contemporary and Decorative Windows   Decorative Windows <thdecorative Windows   Decorati</thdecorative 				0201	0121	4201	4051	TADE	TADE	
Solid   Windows   and Decorative Windows   and Decorative Windows   and Decorative Windows   Decorative Windows <td></td> <td></td> <td></td> <td>9201</td> <td>9131</td> <td>4301</td> <td>4031</td> <td>(24 Gauge Steel)</td> <td>(24 Gauge Steel)</td>				9201	9131	4301	4031	(24 Gauge Steel)	(24 Gauge Steel)	
Solid   Contemporary   Stucco*   Succo*   Succo*<	Solid Windo	w Sections	Woodgrain	and Decorative	and Decorative	and Decorative			Decorative Windows	
9208   9138   4308   4138     Contemporary Solid   Contemporary Windows   Contemporary Windows   Contemporary Windows   Contemporary Windows   Contemporary Windows   Contemporary Windows     MODERN GROOVED   9205   4305   Contemporary Windows	MODERN F	LUSH						eights		
Solid   Contemporary   Contem				0000	0100	4000	4100			
Solid   Contemporary Windows   Contemporary Windows   Contemporary Windows   Contemporary Windows   Contemporary Windows   Contemporary Windows     MODERN GROOVED   Door constructed using 24", 21" and 18" section heights     Solid   Windows   Stucco*   9205   4305     Contemporary Solid   Windows   Stucco*   9205   Contemporary Undows   Contemporary Windows   Contemporary Undows   Vindows     MODERN GROOVED   Stucco*   9209   9139   4309   Contemporary Windows   Contemporary Windows   Contemporary Windows   Contemporary Windows   Contemporary Windows   Utre-Grain				9208	9138	4308	4138			
Solid   Window Sections   Stucco*   9205   Contemporary   Contemporary <td></td> <td>orary Windows</td> <td>Stucco*</td> <td>Contemporary Windows</td> <td>Contemporary Windows</td> <td>Contemporary Windows</td> <td>Contemporary Windows</td> <td></td> <td></td>		orary Windows	Stucco*	Contemporary Windows	Contemporary Windows	Contemporary Windows	Contemporary Windows			
Solid   Window Sections   Stucco*   Stucco*   Contemporary   Windows   Contemporary     MODERN GROOVED   Door constructed using 24" and 21" section heights     Solid   Contemporary   Stucco*   9209   9139   4309     Solid   Contemporary   Contemporary   Contemporary   Contemporary   Contemporary     Solid   Contemporary   Stucco*   Stucco*   Contemporary   Contemporary   Contemporary     Solid   Contemporary   Stucco*   Stucco*   Stucco*   Contemporary   Contemporary     Color AvaiLABILITY   Standard   Glacier   Almond   Desert   Sandtone   Bronze   Chocolate   Mocha   Hunter   Gray   Black   Utra-Grain*										
Solid   Windows   Stucco*   Contemporary Windows   Contemporary Windows   Contemporary Windows     MODERN GROOVED   Door constructed using 24" and 21" section heights     Solid   Onemporary Contemporary Windows   9209   9139   4309     Solid   Contemporary Windows   Contemporary Windows   Contemporary Windows   Contemporary Windows   Contemporary Windows   Contemporary Windows   Utra-Grain* Utra-Grain* Windows   Utra-Grain* Utra-Grain* Medium   Utra-Grain* Utra-Grain* Medium   Utra-Grain* Utra-Grain* Medium   Utra-Grain* Utra-Grain* Medium   Utra-Grain* Utra-Grain* Medium   Utra-Grain* Utra-Grain* Medium   Utra-Grain* Utra-Grain* Medium   Utra-Grain* Utra-Grain* Medium   Utra-Grain* Utra-Grain* Medium   Utra-Grain* Medium   Utra-Grain*			2003	0205		4205				
Solid   Windows   Utra-Grain®   Utra-Grai				9205		4305				
Door constructed using 24" and 21" section heights     MODERN GROOVED   Door constructed using 24" and 21" section heights     Image: Solid   Image: Solid   9209   9139   4309     Solid   Contemporary Windows   Stucco*   Contemporary   Contemporary     Vindows   Stucco*   Stucco*   Contemporary   Contemporary     Vindows   Stucco*   Image: Stucco*   Image: Stucco*   Contemporary     Color AVAILABILITY   Standard   Glacier   Almond   Image: Stucco*   Ima				Contemporary Windows		Contemporary Windows				
Solid   Contemporary Windows   9209   9139   4309   Contemporary			Stucco*	2						
Solid   Contemporary Windows   Contemporary W	MODERN GROOVED Door constructed using 24" and 21" section heights									
Solid   Contemporary Windows   Utra-Grain® (Contemporary Windows				9209	9139	4309				
Solid Contemporary Windows Stucco* Windows Wi				Contemporary	Contemporary	Contemporary				
COLOR AVAILABILITY   Standard White   Glacier White   Almond   Desert Tan   Sandtone   Bronze   Chocolate   Mocha Brown   Hunter Green   Gray   Black   Uttra-Grain* Cypress Medium   Uttra-Grain* Cypress Medium <td>Solid Contempo</td> <td>orary Windows</td> <td>Stucco*</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	Solid Contempo	orary Windows	Stucco*							
Color Availability Standard Market Almond Desert Sandtone Bronze Chocolate Brown Green Gray Black Cypress <td>cond contempt</td> <td></td> <td>010000</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	cond contempt		010000							
9201	COLOR AVAILABILITY				Bronze Chocolate		Gray Black	Cypress Cypress	Cypress Cypress	
						_		• •	• •	
3132, 3130, 3133		_								
9131 • • • • • • • • •										
4302, 4305, 4308, 4309										
4301		•								
4132 • • • • • • • • • • •						-		• •	• •	
4051 • • • • • •	4051		-			-				
4138 • • • • • • • • • • •	4138	•		• •				• •	• •	
T42F, T40F • • • • •	T42F, T40F				-					

Calculated door section R-value is in accordance with DASMA TDS-163. For more information about color options see page 4. Models with Ultra-Grain® and Black paint options are 25 gauge steel. \*Exterior steel surface on an Ultra-Grain® painted door has a woodgrain texture on Modern Steel™ Collection doors.

# STANDARD COLORS



- Exterior steel on standard color flush doors will have either a stucco or woodgrain texture depending upon model chosen (see chart on page 3 for details). Grooved doors have a stucco texture.
- Doors can be painted to match the home's exterior using a high-quality latex exterior paint. Do not use oil-based paint.

\*Popular in select markets, Glacier White is a brighter white.

Due to the printing process, colors may vary. See your Clopay Dealer for color samples. Black is available at an additional charge

Not all colors available on all models. See previous page for complete color availability.

# UITRA-GRAIN® PAINT OPTION





Slate Finish

- Painted steel surface simulates a stained door without the need of staining and the ongoing maintenance of wood.
- Woodgrain runs horizontal for an authentic, natural look.
- Available in Cypress Medium, Cherry, Walnut or Slate finishes that complement Clopay Entry Doors, shutters and other exterior stained wood products.
- Exterior steel surface on all Modern Steel<sup>™</sup> Collection Ultra-Grain<sup>®</sup> painted doors have a woodgrain texture to create a more natural appearance.
- Window frames, grilles and inserts are a solid color to coordinate with the Ultra-Grain® patterns.

Due to the printing process, colors may vary. Not all colors available on all models. See previous page for complete color availability.

# CUSTOM PAINT OPTION



Color Blast® offers more than 1,500 Sherwin-Williams® color options to complement your home. This durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.

# ADDITIONAL FEATURES

- Tongue-and-groove section joints help seal out wind, rain and snow.
- Replaceable vinyl bottom weatherseal in a rust-resistant aluminum retainer helps seal out the elements.
- Patented Safe-T-Bracket<sup>®</sup> helps prevent serious injury that could occur if the bottom bracket were removed with the garage door closed and under tension.
- Color-matched exterior step plate/lift handles are durable and allow for safe opening and closing of your door.
- 2" thick polystyrene doors and all Intellicore<sup>®</sup> doors comply with 2015 IECC air infiltration requirement of 0.40 cfm/ft<sup>2</sup> or less (IECC, Section C402.5.2).
- See your Clopay Dealer for WINDCODE® door availability. For additional information about how to care for and maintain your door, visit: clopaydoor.com/residential/support

# HEAVY-DUTY HARDWARF



2" thick polystyrene doors and all Intellicore® doors come standard with 10-ball nylon rollers and heavy-duty 14 gauge steel hinges.

#### WARRANTIES





#### RUST-PREVENTION SYSTEM



Steel skins are protected through a tough, layered coating system, including a hot-dipped galvanized layer, a protective metal oxide pretreatment and a baked-on primer and top coat.

#### GREATER ENERGY EFFICIENCY



Thermal break\* separates the interior from the exterior skin to improve energy efficiency and comfort.

\*Thermal break is not present on 4051, 2-layer and 1-layer models.



Clopay is committed to designing, manufacturing and distributing garage doors that enhance the beauty, safety and value of your home while minimizing the impact on the environment.

The Modern Steel<sup>™</sup> Collection helps conserve natural resources by providing a durable, reliable, low-maintenance door. Steel doors and hardware are impervious to moisture and will not rot, warp or crack, and the steel used in Clopay's doors is made from over 75% recycled content. All Clopay doors are made in the U.S., minimizing shipping, damage and handling. For more details on Clopay's green practices, visit our website at *clopaydoor.com/green* 



#### CONTEMPORARY WINDOW ORIENTATION

When ordering contemporary window configurations please reference the examples provided to describe your desired window positions. Note: Window configurations are described from inside the garage looking out.

Example: Windows down right side (from inside garage looking out)





View from Inside Garage

View from Outside Garage

#### POPULAR CONTEMPORARY WINDOW CONFIGURATIONS

The windows shown below apply to Models 9208, 9209, 9138, 9139, 4308, 4309 and 4138. These doors utilize 24" and 21" section heights, allowing for the window options shown.

Contemporary window configurations are available in many design options, including windows in each section and down one side, short and long windows or windows in all sections. For doors with multiple window sections, the window locations must be the same in every section.

#### The images below are illustrated from outside the garage. Important Note: The ordering codes listed below are from the inside of the garage looking out, as explained on the previous page. See your Clopay dealer for more details.

The illustrations shown below show window (glazed) and/or no window (solid) locations.

SOL=Solid (no window) location GL=Glazed (window) location

Sections are numbered from the floor up to the top of the door.

For doors with glazing (windows) in the sections, all glass will be tempered.

Glazing options include:





Frosted

Other glass types and custom glass are available. See your Clopay Dealer for details.

LONG WINDOW CONFIGURATIONS

#### SHORT WINDOW CONFIGURATIONS



SOL-SOL-SOL-GL Sections: 1, 2, 3, 4



GL-SOL-SOL-SOL Sections: 1, 2, 3, 4



GL-SOL-SOL-GL Sections: 3, 4



GL-GL-GL-GL Sections: 1, 2, 3, 4



SOL-SOL-SOL-SOL-SOL-SOL-GL-GL Sections: 1, 2, 3, 4



GL-GL-SOL-SOL-SOL-SOL-SOL-SOL Sections: 1, 2, 3, 4



GL-GL-SOL-SOL-SOL-SOL-GL-GL Sections: 3. 4



GL-GL-GL-GL-GL-GL-GL-GL-GL-G Sections: 1, 2, 3, 4



SOL-GL Sections: 1, 2, 3, 4



Sections: 1, 2, 3, 4



GL-GL Sections: 3, 4



GL-GL Sections: 1, 2, 3, 4



SOL-SOL-SOL-GL Sections: 1, 2, 3, 4



GL-SOL-SOL-SOL Sections: 1, 2, 3, 4



GL-GL-GL-GL Sections: 3, 4



GL-GL-GL-GL Sections: 1, 2, 3, 4

#### WINDOW OPTIONS

Our windows add natural light to your garage while adding curb appeal to your home. All Clopay window frames are UV-protected and are color matched to our prefinished door colors. Window frames screw in from the inside for easy glass replacement or to change designs.

#### CONTEMPORARY/ARCHITECTURAL SERIES WINDOWS

These windows are from Clopay's Contemporary/Architectural Series, featuring a larger viewing area and are available on select models and heights. Short windows are 19-1/2" × 16" and long windows are 42" × 16".



#### **DECORATIVE WINDOWS**

Clopay's decorative windows are created to complement many home styles. Short windows are 19-1/2" × 12" and long windows are 40-1/2" × 12".



#### **DECORATIVE INSERT SERIES WINDOWS** -

UV-protected cellular plastic insert designs snap into either the inside or outside of the window frame for easy cleaning or to change designs. Windows are offered in single strength, double strength, acrylic, obscure or insulated glass. Short windows are 19-1/2" × 12" and long windows are 40-1/2" × 12".



**Clopay** 

Visit clopay.com or call 1-800-2CLOPAY (800-225-6729) for more information on Clopay, America's Favorite Garage Doors. Follow us on 🗗 🚟 😏 🙆 🕒 🤧